



Certificate of Analysis

TRM (Thoroughbred Remedies Manufacturing)
QC
Newbridge Industrial Estate
Athgarven Road
Newbridge
Co Kildare
Ireland

Client Reference 200809
Details KERCKHAERT HOOF BIOTIN /TRM
Date Received 29-Jan-2021
Date Reported 8-Feb-2021
Lab Reference No 2359889
Order Number 79957
Certificate No 2359889_200809_1.pdf
Product Miscellaneous - Premix Miscellaneous - Premix
Sampled Date 26-Jan-2021
Sample Source

<u>Method No</u>	<u>Test</u>	<u>Units</u>	<u>Result</u>	<u>Completed On</u>
S1013	Oil A (Ether Extract)	%	<0.3	5-Feb-2021
S1015	Calcium	%	12.16	5-Feb-2021
S1015	Sodium	%	0.06	5-Feb-2021
S1022	Crude Fibre	%	<0.1	2-Feb-2021
S1023	Moisture	%	3.3	2-Feb-2021
S1024	Ash	%	31.5	2-Feb-2021
S1026	Total Oil (Oil B)	%	0.31	5-Feb-2021
S1027	Sugar as Sucrose	%	18.63	3-Feb-2021
S1028	Starch	%	34.7	5-Feb-2021
S1113	* Crude Protein (N X 6.25) (Kjeldahl)	%	Not Detected <0.1	1-Feb-2021

Client Reference 200809
Details KERCKHAERT HOOF BIOTIN /TRM
Date Received 29-Jan-2021
Date Reported 8-Feb-2021
Lab Reference No 2359889
Order Number 79957
Certificate No 2359889_200809_1.pdf
Product Miscellaneous - Premix Miscellaneous - Premix
Sampled Date 26-Jan-2021
Sample Source

<u>Method No</u>	<u>Test</u>	<u>Units</u>	<u>Result</u>	<u>Completed On</u>
------------------	-------------	--------------	---------------	---------------------

Unless otherwise stated results are expressed on an 'as received' basis.



Martin Dyer

Technical Support Manager

Sciantech Analytical Services.
Stockbridge Technology Centre, Cawood, Yorkshire
YO8 3SD
t + 44 (0) 1757 242400
f + 44 (0) 1757 242401
www.sciantec.uk.com



2511

These results relate only to the sample(s) tested and do not guarantee the bulk of the material to be of equal quality. This report shall not be reproduced except in full, without the written approval of Sciantech Analytical Services. Sciantech Analytical Services. was not responsible for sampling and cannot be held liable in respect of the use to which information is put.

A certificate having a number with a suffix of _2 or greater is supplementary to the original report. Tests marked with # are subcontracted to a UKAS accredited laboratory. Tests marked *# are subcontracted to a non UKAS accredited laboratory. Tests marked with * are outside UKAS scope of accreditation. Microbiological assays marked with (p) are presumptive. Tests marked with ± are subcontracted to an ISO/IEC 17025:2017 accredited laboratory.